

IN THE CLAIMS

Please amend the claims as follow:

1-14. Canceled

15. (Currently Amended) A method of manufacturing a flexible display panel comprising:

depositing a plurality of shaped blocks onto a flexible substrate ~~[[layer]]~~, said flexible substrate having a plurality of recessed regions configured to receive said plurality of shaped blocks therein, each of said shaped blocks comprising a circuit element for driving a picture element; and

coupling a receiver to the plurality of blocks on the flexible ~~substrate~~ ~~[[layer]]~~, the receiver to cause each of said shaped blocks to drive the picture element; and
coupling a display panel to the flexible substrate.

16. (Original) The method of claim 15, wherein said flexible display panel conforms to a desired shape of an object when said flexible display panel is attached to said object.

17. (Original) The method of claim 15, wherein each of said shaped blocks comprises an active circuit element which drives a picture element.

18. (Currently Amended) The method of claim 15, further comprising:
coupling a display generation substrate to said flexible ~~substrate~~ ~~[[layer]]~~.

19. (Original) The method of claim 15, wherein said flexible display panel comprises an active matrix display backplane which comprises at least one electrode for each picture element.

20. (Original) The method of claim 15, wherein said flexible display panel is conformal.

21. (Original) The method of claim 15, wherein the flexible display panel has an organic light emitting diode.

22. (Original) The method of claim 15, wherein the flexible display panel comprises upconverting phosphor.

23. (Original) The method of claim 15, wherein the receiver is a RF wireless transponder receiver.

24-26. Canceled

27. (Original) A method of manufacturing a flexible display panel depositing a plurality of blocks onto a web material defined by a length 50 times greater than its width, each of said blocks comprises an electronic device for driving a picture element; and
coupling a receiver to the plurality of blocks on the web material.

28. Canceled

29. (Previously Presented) The method of claim 15 wherein said coupling a receiver to the plurality of blocks on the flexible layer further comprises depositing said receiver onto said flexible substrate.

30. (Previously Presented) The method of claim 29 wherein said receiver causes information on said flexible display panel to change.

31. (New) The method of claim 15 wherein each of said shaped block comprises single crystal silicon.